Patient Discharge Instructions

Post Lithotripsy Instructions:

- 1 Drink 2-3 quarts of water a day to dilute the urine and flush out the kidneys.
- 2. Strain all of your urine and save any fragments for your physician. (You will be given a strainer and a specimen cup for the fragments from the center on the day of your treatment.)
- 3. You are encouraged to resume your normal activity at your own pace. Your urologist will instruct you as to when you can resume work.
- 4. You may eat and drink as tolerated after your treatment. Increase slowly to your normal diet.
- 5. Your urologist will instruct you as to when you will need a follow up appointment.

Normal Patient Expectations:

- 1. Blood in the urine is normal. It may be moderate red to light brown color.
- 2. Moderate discomfort at the treatment site as well as moderate pain passing the sand particles/fragments. Your urologist will prescribe you with a pain prescription following treatment.
- 3. Nausea is normal following general anesthesia and can last for 24-48 hours.
- 4. A minor fever of less then 101° for the first 24-72 hours.

Inform Your Urologist If The Following Symptoms Occur:

- 1. Excessive blood in your urine.
- 2. Extreme pain not being relieved by any pain medication.]
- 3. Persistent nausea or vomiting.
- 4. Fever of 101° or greater.
- 5. Failure to produce urine for more than 8 hours.

Anesthesia Considerations For 24 Hours Post Treatment:

- You can not drive a car or operate hazardous machinery.
 You Must Have Transportation Home Following Treatment.
- 2. Do not drink alcoholic beverages or sign any legal documents.